

AperTO - Archivio Istituzionale Open Access dell'Università di Torino

The effect of carbonate solid solution on the elasticity of natural fluorapatites

This is the author's manuscript

Original Citation:

Availability:

This version is available <http://hdl.handle.net/2318/154090> since

Publisher:

Geological Society & Mineralogical Society S.A.

Terms of use:

Open Access

Anyone can freely access the full text of works made available as "Open Access". Works made available under a Creative Commons license can be used according to the terms and conditions of said license. Use of all other works requires consent of the right holder (author or publisher) if not exempted from copyright protection by the applicable law.

(Article begins on next page)

Experience mineralogy at its best in South Africa at IMA 2014

21st General Meeting of IMA South Africa 2014

1 - 5 September 2014 - Sandton Convention Centre, Johannesburg, Gauteng, South Africa



Hosted by



ABSTRACT VOLUME

www.ima2014.co.za



21st meeting of the International Mineralogical Association

1-5 September 2014

Johannesburg, South Africa

ABSTRACTS

Edited by:

Deshenthree Chetty (Chief Editor)

Lesley Andrews

Johan de Villiers

Roger Dixon

Paul Nex

Wolf Uwe Reimold

Jill Richards

Bertus Smith

Craig Smith

Sabine Verryn

Fanus Viljoen

A joint publication of the Geological Society of South Africa and the Mineralogical Association of South Africa

ISBN: 978-0-620-60082-8

The effect of carbonate solid solution on the elasticity of natural fluorapatites

Cámara F^{1*}, Curetti N², Benna P¹, Ferraris C³

1 - University of Torino - CrisDi, Italy *fernando.camaraartigas@unito.it

2 - University of Turin 3 - Muséum National d'Histoire Naturelle, Paris

Apatite is an important mineral and knowledge of its stability at the Earth's interior is essential to understand its role as potential repository of phosphorus at the mantle depth. In biomedical field its mechanical properties are also important as apatite is a dental enamel constituent. Changes in the chemical and physical properties of apatite are observed when carbonate is incorporated into the apatite structure. Incorporation of carbonate can occur by substitution for both the channel anion and the phosphate ion with different effects on unit-cell parameters. Substitution of hydroxyl (OH) by type A carbonate results in progressive increase in a and decrease in c , whereas substitution of phosphate by type B carbonate results in progressive decrease in a and increase in c . So far several compression experiments have been carried out to investigate the compressibility of synthetic samples of fluorapatite, hydroxylapatite, and chlorapatite. A study of natural fluorapatite was performed by [1], who found a lower value of K_T than previous work (using a BM2, $K_T = 91.6(1.0)$ GPa by [1] versus $97.9(1.9)$ GPa [2] and $97.8(1.0)$ GPa by [3]). Recently [4] have studied the effect of carbonate substitution on the compressibility of hydroxylapatite: the substitution of carbonate (both type A and B) lowers the value of K_T . However, it is difficult to assess if the softening is due to type-A or type-B or both types of substitution. Among the available data, only [3] have performed a single crystal diffraction study.

In order to clarify such discrepancies, we have performed a single crystal diffraction study of two natural fluorapatite and type-B carbonate fluorapatite ("francolite") samples coming from Muséum National d'Histoire Naturelle, Paris. Two crystals were mounted together in a DAC using quartz as pressure calibrant and a 16:3:1 mixture of methanol:ethanol:water as pressure-transmitting medium. We used SINGLE program [5] to collect data on a Siemens P4 four-circle diffractometer and EosFit7c [6] to fit the data.

Our data (16 pressure points up to 5.8 GPa), fit to a 3rd order Birch-Murnaghan Equation of State (BM3-EoS) show that type-B carbonate substitution effectively decreases the bulk modulus from $K_T = 88.41(1.9)$ GPa [with $K'_T = 5.8(0.8)$] to $K_T = 85.3(1.4)$ GPa [with a K'_T of $5.6(0.6)$]. However, careful inspection of the F - f plot shows that two different elastic regimes (low-P <3.25 GPa and high-P ≥3.25 GPa) should be actually taken into account for fluorapatite. Moreover, collecting more data during decompression will allow to better constrain both pressure ranges. So far we have used a BM2 EoS for both the low-P and the high-P regimes obtaining K_T of $91.94(99)$ and $98.9(1.6)$ GPa for the low-P and the high-P regimes respectively. This preliminary result agrees well with previous findings for fluorapatite as the value obtained by [2] were probably biased by high pressure regime (although high pressure data >9 GPa was probably not hydrostatic) while the value obtained by [1] did not have enough observations at high pressure. In both cases the authors fitted the whole observed pressure range as a unique pressure regime.

Unraveling the structural complexity of high-pressure orthorhombic iron oxides

Lavina B^{1*}, Meng Y²

1 - University of Nevada, Las Vegas *lavina@physics.unlv.edu 2 - HPCAT, Carnegie Institution of Washington

Occurring as accessory minerals in most rocks and forming large deposits of considerable economical importance, iron oxides have a key petrological importance. Their role as oxygen buffers, in differentiation processes and as magnetic phases summarizes the iron oxides critical importance in most geological contexts, independently of their abundance.

The recent discovery of a new compound in the Fe-O system, Fe_4O_5 [1], reshaped our assumptions on the behavior of iron oxides in the Earth's deep interior, where phases of FeO and Fe_3O_4 were considered the sole plausible players. Fe_4O_5 is stable at pressures greater than about 10 GPa and, with an iron average valence state of 2.5+, is a plausible accessory mineral of the deep Earth. Other studies found that Fe_4O_5 may be stable in a wide stoichiometry range [2] and can accept a wide extent of isomorphic substitutions [3]. Finding a new compound in one of the most investigated binary systems and in a pressure and temperature range that is experimentally accessible for decades is surprising. The discovery of Fe_4O_5 relies on high resolution high pressure microdiffraction mapping using highly focused high energy x-ray only available at synchrotron sources. We will present the procedures that led to the discovery of Fe_4O_5 [4], in particular how powder, single crystal and multigrain diffraction strategies may be combined within samples that are yet only about 100 μm large and less than 10 μm thick. This strategy can provide more robust identification and characterization of phases synthesized at high P-T and a characterization of samples heterogeneity.

We will present some of the latest results revealing an Fe-O system that shows at high pressure an unexpected complexity including important degrees of disorder, as evidenced by diffuse scattering effects.

[1] Lavina B. *et al.* (2011). Discovery of the recover- able high-pressure iron oxide Fe_4O_5 . *Proc Natl Acad Sci U S A* 108, 17281-5.

[2] Woodland A.B., Frost D.J., Trots D.M., Klimm K. and Mezouar M. (2012). In situ observation of the breakdown of magnetite (Fe_3O_4) to Fe_4O_5 and hematite at high pressures and temperatures. *Am Mineral* 97, 1808-1811.

[3] Woodland A.B. *et al.* (2013). Fe_4O_5 and its solid solutions in several simple systems. *Contr. Mineral. Petrol.*, 1677-1686.

[4] Lavina B., Dera P. and Meng Y. (2013). Synthesis and microdiffraction at extreme pressures and temperatures. *JOVE*, e50613.

[1] Matsukage K.N., Ono S., Kawamoto T. and Kikegawa T. (2004). *Phys Chem Minerals* 31, 580-584.

[2] Brunet F., Allan D.R., Redfern S.A.T., Angel R.J., Miletich R., Reichmann H.J., Sergent J. and Hanfland M. (1999). *Eur J Mineral* 11, 1023-1035.

[3] Comodi P., Liu Y., Zanazzi P.F. and Montagnoli M. (2001). *Phys Chem Minerals* 28, 219-224.

[4] Liu X., Shieh S.R., Fleet M.E., Zhang L. and He Q. (2011). *Am Mineral* 96, 74-80.

[5] Angel R.J. and Finger L.W. (2011). *J Appl Crystallogr* 44, 247-251.

[6] Angel R.J., Gonzalez-Platas J. and Alvaro M. (2014). *Zeit Kristallogr*, in press (DOI: 10.1515/zkri-2013-1711).